

























## 5 AGENT REPORT TEMPLATES

Clearspan Call Center Enhanced Reporting provides the following canned Agent Report templates:

- [Agent Call Report](#)
- [Agent Call by Skill Report](#)
- [Agent Duration Report](#)
- [Agent Duration by Skill Report](#)
- [Agent Call Detail Report](#)
- [Agent Activity Report](#)
- [Agent Activity Detail Report](#)
- [Agent Summary Report](#)
- [Agent Unavailability Report](#)
- [Agent Disposition Code Report](#)
- [Agent Sign In Sign Out Report](#)

### 5.1 AGENT REPORT INTRODUCTION SECTION

The introduction section of an Agent Report displays the report title, the time frame of the reported data, the date that the report was run, and the details of the agent if the report was generated for a single agent.

The same pattern is used for all canned Agent Report templates and is described in the following table.

ELEMENT	DESCRIPTION
Title	<p>The title of the report depends on the report template, agents, and sampling period selected for the report.</p> <ul style="list-style-type: none"> <li>• If the report is requested for more than one agent, then the title is set to “&lt;Report Name&gt; – Multiple Agents – &lt;Sampling Period&gt;”.</li> <li>• If the report is requested for a single agent, then the title is set to “&lt;Report Name&gt; – &lt;Agent Name&gt; – &lt;Sampling Period&gt;”.</li> </ul> <p>Note that the sampling period is only present for interval-based reports.</p>
Start Time (End Time)	<ul style="list-style-type: none"> <li>• Start Time displays the start date and time of the report.</li> <li>• End Time displays the end date and time of the report.</li> <li>• Start Time is displayed for all reports, but End Time is only displayed for historical reports.</li> </ul> <p>For an interval-based report template, if the requested start time does not align</p>















































## 5.8 AGENT ACTIVITY DETAIL REPORT

The Agent Activity Detail Report template is a historical report template that can be used by administrators, agents, and supervisors to request historical reports. This is a non-interval-based template.

The report provides details related to the activity of agent(s) including all State, Disposition, and Call activity.

The report name is “Agent Activity Detail Report” and is displayed in the introduction section of the generated report, as described in section [5.1 Agent Report Introduction Section](#).

The report includes the following elements: [Activity Detail Table](#).

The report does not require any performance parameters.

### 5.8.1 ACTIVITY DETAIL TABLE

The Activity Detail table can be run for single or multiple agents. An agent may only run the report against himself, while an administrator or supervisor may run the report for one or many of the agents within their scope.

Every agent activity is captured as a row in the table. An activity has a start time and captures details about one of the following:

- State changes including Sign-in, Sign-out, Available, Unavailable, or Wrap-up.
- Disposition code changes including the disposition code used.
- Call details such as the type of call, calling/called number, and transfer information.

The agent activity details reported are summarized in the following table.

NAME	DESCRIPTION
Agent Name	This is the first and last name of the agent.
Activity Time	This is the time when the agent performed the call, state, or disposition activity (see <i>Activity Type</i> ).
Activity Type	This is the type of activity that occurred on the agent's behalf. The valid range of values for this column are as follows: <ul style="list-style-type: none"> <li>• State</li> <li>• Disposition</li> <li>• Call</li> </ul>
Activity Detail	This is the detail of the activity.



NAME	DESCRIPTION
Transfer Location	<p>This indicates the transfer destination type. This can be any of the following values:</p> <ul style="list-style-type: none"> <li>• Call Center</li> <li>• Call Center – Long Hold</li> <li>• Outside Enterprise</li> <li>• Within Enterprise</li> </ul> <p>This column is only populated for “Call” activity type. Otherwise, this column is empty.</p>

Figure 29 provides an example of an Activity Detail table in a report for multiple agents.

Agent Name	Activity Time	Activity Type	Activity Detail	Call Type	Caller/Called Number	Number Called	Transfer Number	Transfer Location
south_john4	10/13/2011, 09:45:55 PM	STATE	Unavailable					
south_john4	10/13/2011, 09:27:44 PM	STATE	Unavailable Bathroom					
south_john4	10/13/2011, 09:27:50 PM	STATE	Unavailable Lunch					
south_john4	10/13/2011, 09:27:55 PM	STATE	Available					
south_john1	10/13/2011, 09:28:35 PM	CALL	Answered	Inbound ACD	9726993504	9726999610		
south_john1	10/13/2011, 09:28:39 PM	CALL	Call Held	Inbound ACD	9726993504	9726999610		
south_john1	10/13/2011, 09:28:49 PM	CALL	Call Retrieved	Inbound ACD	9726993504	9726999610		
south_john1	10/13/2011, 09:29:14 PM	CALL	Call Released	Inbound ACD	9726993504	9726999610		
south_john4	10/19/2011, 10:23:11 PM	STATE	Sign-in					
south_john4	10/21/2011, 09:46:56 PM	STATE	Wrap-up					
south_john4	10/21/2011, 07:12:49 PM	DISPOSITION	D_FROMD1					

**Figure 29 Agent Activity Detail Report –Activity Detail Table (Multiple Agents)**

Figure 30 provides an example of an Activity Detail table in a report for a single agent.

Agent Name	Activity Time	Activity Type	Activity Detail	Call Type	Caller/Called Number	Number Called	Transfer Number	Transfer Location
south_john1	10/13/2011, 09:15:22 PM	STATE	Available					
south_john1	10/13/2011, 09:28:35 PM	CALL	Answered	Inbound ACD	9726993504	9726999610		
south_john1	10/13/2011, 09:28:39 PM	CALL	Call Held	Inbound ACD	9726993504	9726999610		
south_john1	10/13/2011, 09:28:49 PM	CALL	Call Retrieved	Inbound ACD	9726993504	9726999610		
south_john1	10/13/2011, 09:29:14 PM	CALL	Call Released	Inbound ACD	9726993504	9726999610		
south_john1	10/13/2011, 09:29:18 PM	STATE	Wrap-up					

**Figure 30 Agent Activity Detail Report –Activity Detail Table (Single Agent)**

## 5.9 AGENT SUMMARY REPORT

The Agent Summary Report template is a historical report template that can be used by administrators and supervisors to request historical reports. This is an interval-based report template.

The report provides summary information related to the performance of the agent(s), including the average and longest times spent on various types of calls and in various states.

The report name is “Agent Summary Report” and is displayed in the introduction section of the generated report, as described in section [5.1 Agent Report Introduction Section](#).



















**COUNTER DESCRIPTION**

Longest Internal Call This is the longest amount of time spent on an internal call (non-ACD/route point within company) by the agent for that interval.

Figure 38 provides an example of a High Water Marks table in a report for multiple agents.

High Water Marks								
Date and Time	Name	Longest ACD Call	Longest Outbound ACD Call	Longest Route Point Call	Longest Outbound Route Point Call	Longest Inbound Call	Longest Outbound Call	Longest Internal Call
03/31/2011, 10:00 PM	Jones, Mike	00:01:17	00:00:00	00:00:00	00:00:00	00:00:31	00:00:00	00:00:15
	Smith, John	00:02:29	00:00:00	00:00:00	00:00:00	00:00:00	00:00:00	00:00:00
	Summary	00:02:29	00:00:00	00:00:00	00:00:00	00:00:31	00:00:00	00:00:15
03/31/2011, 10:15 PM	Jones, Mike	00:02:03	00:00:00	00:00:00	00:00:00	00:00:00	00:00:03	00:00:15
	Smith, John	00:01:34	00:00:00	00:00:00	00:00:00	00:00:00	00:00:00	00:00:14
	Summary	00:02:03	00:00:00	00:00:00	00:00:00	00:00:00	00:00:03	00:00:15
03/31/2011, 10:30 PM	Jones, Mike	00:02:28	00:00:00	00:00:00	00:00:00	00:00:00	00:00:00	00:00:00
	Smith, John	00:01:42	00:00:00	00:01:44	00:00:24	00:00:00	00:00:00	00:00:00
	Summary	00:02:28	00:00:00	00:01:44	00:00:24	00:00:00	00:00:00	00:00:00
03/31/2011, 10:45 PM	Jones, Mike	00:02:00	00:00:57	00:00:00	00:00:00	00:00:00	00:00:00	00:00:00
	Smith, John	00:00:44	00:00:00	00:00:00	00:00:00	00:00:00	00:00:00	00:00:07
	Summary	00:02:00	00:00:57	00:00:00	00:00:00	00:00:00	00:00:00	00:00:07
Report Summary	Jones, Mike	00:02:28	00:00:57	00:00:00	00:00:00	00:00:31	00:00:03	00:00:15
	Smith, John	00:02:29	00:00:00	00:01:44	00:00:24	00:00:00	00:00:00	00:00:14
	Summary	00:02:29	00:00:57	00:01:44	00:00:24	00:00:31	00:00:03	00:00:15

Figure 38 Agent Summary Report – High Water Marks Table (Multiple Agents)

Figure 39 provides an example of a High Water Marks table in a report for a single agent.

High Water Marks								
Date and Time	Name	Longest ACD Call	Longest Outbound ACD Call	Longest Route Point Call	Longest Outbound Route Point Call	Longest Inbound Call	Longest Outbound Call	Longest Internal Call
03/31/2011, 10:00 PM	Jones, Mike	00:01:17	00:00:00	00:00:00	00:00:00	00:00:31	00:00:00	00:00:15
03/31/2011, 10:15 PM	Jones, Mike	00:02:03	00:00:00	00:00:00	00:00:00	00:00:00	00:00:03	00:00:15
03/31/2011, 10:30 PM	Jones, Mike	00:02:28	00:00:00	00:00:00	00:00:00	00:00:00	00:00:00	00:00:00
03/31/2011, 10:45 PM	Jones, Mike	00:02:00	00:00:57	00:00:00	00:00:00	00:00:00	00:00:00	00:00:00
Report Summary	Jones, Mike	00:02:28	00:00:57	00:00:00	00:00:00	00:00:31	00:00:03	00:00:15

Figure 39 Agent Summary Report – High Water Marks Table (Single Agent)

## 5.10 AGENT UNAVAILABILITY REPORT

The Agent Unavailability Report template is a historical report template that can be used by administrators and supervisors to request historical reports. This is an interval-based report template.

The report provides information related to the unavailability codes used by agents when setting their state to *Unavailable*.









Unavailability Code Duration				
Date and Time	Name	Lunch	Break	No Code
03/31/2011, 10:00 PM	Jones, Mike	00:00:00	00:00:00	00:02:16
	Smith, John	00:00:00	00:02:28	00:00:00
	Summary	00:00:00	00:02:28	00:02:16
03/31/2011, 10:15 PM	Jones, Mike	00:00:00	00:02:45	00:01:17
	Smith, John	00:00:53	00:00:00	00:00:00
	Summary	00:00:53	00:02:45	00:01:17
03/31/2011, 10:30 PM	Jones, Mike	00:07:30	00:00:00	00:00:23
	Smith, John	00:00:37	00:00:00	00:00:10
	Summary	00:08:16	00:00:00	00:00:33
03/31/2011, 10:45 PM	Jones, Mike	00:00:00	00:00:00	00:00:05
	Smith, John	00:00:00	00:03:28	00:00:37
	Summary	00:00:00	00:03:28	00:00:42
Report Summary	Jones, Mike	00:07:30	00:02:45	00:04:01
	Smith, John	00:10:30	00:05:56	00:00:47
	Summary	00:18:00	00:08:41	00:04:48

Figure 44 Agent Unavailability Report – Unavailable Code Duration Table (Multiple Agents)

Figure 45 provides an example of an Unavailable Code Duration table in a report for a single agent.

Unavailability Code Duration				
Date and Time	Name	Lunch	Break	No Code
03/31/2011, 10:00 PM	Jones, Mike	00:00:00	00:00:00	00:02:16
03/31/2011, 10:15 PM	Jones, Mike	00:00:00	00:02:45	00:01:17
03/31/2011, 10:30 PM	Jones, Mike	00:07:30	00:00:00	00:00:23
03/31/2011, 10:45 PM	Jones, Mike	00:00:00	00:00:00	00:00:05
Report Summary	Jones, Mike	00:07:30	00:02:45	00:04:01

Figure 45 Agent Unavailability Report – Unavailable Code Duration Table (Single Agent)

## 5.11 AGENT DISPOSITION CODE REPORT

The Agent Disposition Code Report template is a historical report template that can be used by administrators and supervisors to request historical reports. This is an interval-based report template.

The report provides information related to disposition codes used by agents.

The report name is “Agent Disposition Code Report” and is displayed in the introduction section of the generated report, as described in section [5.1 Agent Report Introduction Section](#).





Disposition Codes				
Date and Time	Name	Promo3	Promo1	Promo2
03/31/2011, 10:15 PM	Jones, Mike	3	3	1
03/31/2011, 10:30 PM	Jones, Mike	3	0	0
03/31/2011, 10:45 PM	Jones, Mike	3	0	0
Report Summary	Jones, Mike	9	3	1

Figure 48 Agent Disposition Code Report – Disposition Codes Table (Single Agent)

## 5.12 AGENT SIGN IN SIGN OUT REPORT

The Agent Sign In Sign Out Report template is a historical report template that can be used by administrators, agents, and supervisors to request historical reports. This is a non-interval-based template.

The report provides information related to the sign-in and sign-out events of agents.

The report name is “Agent Sign In Sign Out Report” and is displayed in the introduction section of the generated report, as described in section [5.1 Agent Report Introduction Section](#).

The report includes the following elements:

- [Sign In Sign Out Table](#)
- [Average Staffed Duration Bar Chart](#)

The report does not require any performance parameters.

### 5.12.1 SIGN IN SIGN OUT TABLE

The Sign In Sign Out table displays a column for each value described in the following table. There is one Sign In Sign Out table per agent, if multiple agents have been selected.

A row is included in this report for each agent sign-in that occurs within the requested time frame of the report.

COUNTER	DESCRIPTION
Sign In Date/Time	This is the date/time that the agent signed in (that is, the agent’s ACD state was set to any value other than “sign-out”).
Sign Out Date/Time	This is the date/time that the agent signed out (that is, the agent’s ACD state was set to “sign-out”).  If the sign-in time is during the time frame of the report and the sign-out time occurs after the time frame of the report but before the report

COUNTER	DESCRIPTION
	generation time, the sign-out time is shown in the report.
Staffed Duration	This is the amount of time that the agent was signed in. This is the time elapsed between the sign-in date/time and the sign-out date/time.

Figure 49 provides an example of a Sign In Sign Out table in a report for a single agent.

Sign In Date/Time	Sign Out Date/Time	Staffed Duration
03/31/2011, 10:03:25 PM	03/31/2011, 10:44:48 PM	00:41:23
03/31/2011, 10:45:10 PM	03/31/2011, 10:58:55 PM	00:13:45
03/31/2011, 11:01:13 PM		
Total Staffed Duration		00:55:08


**Figure 49 Agent Sign In Sign Out Report – Sign In Sign Out Table (Single Agent)**

### 5.12.2 AVERAGE STAFFED DURATION BAR CHART

The Average Staffed Duration bar chart is only included for multiple agent reports and shows the average staffed time for each agent for the reporting period.

Each label represents an agent and displays the average staffed time period. The average staffed duration is computed as the total staffed duration divided by the number of sign-ins for the agent during the reported period. The labels are presented in alphabetical order (last name, first name).

Figure 50 provides an example of an Average Staffed Duration bar chart.



**Figure 50 Agent Sign In Sign Out Report – Average Staffed Duration Bar Chart**

## 6 CALL CENTER REPORT TEMPLATES

Clearspan Enhanced Reporting provides the following canned Call Center Report templates:

- [Call Center Incoming Calls Report](#)
- [Call Center Report](#)
- [Call Center Presented Calls Report](#)
- [Abandoned Call Report](#)
- [Call Center Summary Report](#)
- [Service Level Report](#)
- [Call Center Call Detail Report](#)
- [Call Center Disposition Code Report](#)
- [Call Center Overflow Matrix Report](#)

### 6.1 CALL CENTER REPORT INTRODUCTION SECTION

The introduction section displays the report title, the time frame of the reported data, the date that the report was run, and the details of the call center or DNIS if the report was generated for a single call center or DNIS.

The same pattern is used for all report templates and is described in the following table.

ELEMENT	DESCRIPTION
Title	<p>The title of the report depends on the report template, selected call centers/DNISs, and the sampling period.</p> <ul style="list-style-type: none"> <li>• If you request a report for more than one call center, then the title of the report is &lt;Report Name&gt; – Multiple Call Centers – &lt;Sampling Period&gt;.</li> <li>• If you request a report for a single call center or one or more DNISs of a call center, then the title of the report is &lt;Report Name&gt; – &lt;Call Center Name&gt; – &lt;Sampling Period&gt;.</li> </ul> <p><b>NOTE:</b> The sampling period is only present for interval-based reports.</p>
Start Time (End Time)	<ul style="list-style-type: none"> <li>• Start Time displays the start date and time of the report.</li> <li>• End Time displays the end date and time of the report.</li> <li>• Start Time is displayed for all reports, but End Time is displayed only for historical reports.</li> </ul> <p>For an interval-based report template, if the requested start time does not align with a sampling period boundary, then it is adjusted to the previous sampling period boundary. If the end time does not align with a sampling period boundary, then it is adjusted to the next sampling period boundary. For example, if the sampling period is hourly, the start time provided is 11:46 A.M.</p>

ELEMENT	DESCRIPTION
	<p>and the end time is 12:10 P.M. Then the start time is adjusted to 11:00 A.M. and the stop time is adjusted to 1:00 P.M.</p> <p>The time frame of the generated report is inclusive for the start date and start time and exclusive for the end date and end time. For example, if the time frame is specified as 06/01/2010 0:00 A.M. to 07/01/2010 0:00 A.M., then the report generated actually runs from 06/01/2010 0:00:00.000 A.M. to 06/30/2010 11:59:59.999 P.M.</p> <p>If the time frame of a report crosses a daylight savings time change, then the report generated either shows no results for the hour skipped (clock is moved forward) or it shows both time periods combined in a single-time interval (clock is moved backward).</p>
Time Zone	<p>The time zone is displayed in a localized format, for example, "(GMT-04:00) (US) Eastern Time".</p> <p>Note that the offset from GMT displayed in the introduction section is relative to the time of report generation and not necessarily to the requested time frame. The time intervals provided in the contents of the report are always presented relative to the offset from GMT that is applicable at the time the statistics were collected for that time zone.</p>
Date Run	Date Run displays the date and time at which the report was generated.
Call Center or DNIS information	<p>If the report is generated for a single call center or a single DNIS, then detailed information for the call center or DNIS is provided.</p> <ul style="list-style-type: none"> <li>• For a single call center report, the call center name and ID are displayed.</li> <li>• For a single DNIS report, the DNIS name and phone number are displayed.</li> </ul>

Figure 51 provides an example of the introduction section of a historical report generated for all call centers within the requesting user's scope. The sampling period is 15 minutes.

<u>Call Center Summary Report - Multiple Call Centers - 15 Minutes</u>	
Start Time:	09/20/2010, 05:00 AM
End Time:	09/21/2010, 12:00 PM
Time Zone:	(GMT-04:00) (US) Eastern Time
Date Run:	09/30/2010, 05:09 PM

**Figure 51 Introduction Section of Interval-based Historical Report for All Call Centers**

Figure 52 provides an example of the introduction section of a real-time report that is generated for a subset of call centers within the requesting user's scope. The sampling period is 30 minutes.

<u>Call Center Report - Multiple Call Centers - 30 Minutes</u>	
Start Time:	10/04/2010, 12:00 PM
Time Zone:	(GMT-04:00) (US) Eastern Time
Date Run:	10/04/2010, 01:05 PM

**Figure 52 Introduction Section of Interval-based Real-time Report for Selected Call Centers**

Figure 53 provides an example of the introduction section of a historical report generated for a single call center within the requesting user's scope. The sampling period is hourly.

Call Center Summary Report - Call Center 1 - Hourly	
Start Time:	10/04/2010, 08:00 AM
End Time:	10/04/2010, 12:00 PM
Time Zone:	(GMT-04:00) (US) Eastern Time
Date Run:	10/04/2010, 12:59 PM
Call Center Name:	Call Center 1
Call Center Service Id:	callcenter1@mtlasdev84.net

**Figure 53 Introduction Section of Interval-based Historical Report for Single Call Center**

Figure 54 provides an example of the introduction section of a historical report generated for multiple DNISs of a call center within the requesting user's scope. The sampling period is daily.

Call Center Summary Report - Hotline - Daily	
Start Time:	02/01/2011, 12:00 AM
End Time:	02/03/2011, 12:00 AM
Time Zone:	(GMT-05:00) (Canada) Eastern Time
Date Run:	02/03/2011, 12:45 PM

**Figure 54 Introduction Section of Interval-based Historical Report for Selected DNISs**

Figure 55 provides an example of the introduction section of a non-interval-based historical report generated for a single DNIS of a call center within the requesting user's scope.

Call Center Call Detail Report - Hotline	
Start Time:	02/01/2011, 12:00 AM
End Time:	02/03/2011, 12:00 AM
Time Zone:	(GMT-05:00) (Canada) Eastern Time
Date Run:	02/03/2011, 12:52 PM
DNIS Name:	Top10
Phone:	2025551011

**Figure 55 Introduction Section of Non-interval-based Historical Report for Single DNIS**

Phone numbers displayed on Call Center Reports are formatted according to the country code of the requesting entity. If the DNIS country code matches the country code of the requesting entity (supervisor, group, or enterprise) then the phone number is displayed as a national prefixed number. Otherwise, the phone number is displayed as an E.164 number.

## 6.2 CALL CENTER INCOMING CALLS REPORT

The Call Center Incoming Calls Report template is a real-time report template that can be used by administrators and supervisors to request real-time or historical reports. This is an interval-based report template.

The report provides information related to how incoming calls are handled by call centers, whether they are queued or handled by policy prior to being queued.

The report name is “Call Center Incoming Calls Report” and is displayed in the introduction section of the generated report, as described in section [6.1 Call Center Report Introduction Section](#).

The report includes the following elements:

- [Inbound Calls To Call Center Pie Chart](#)
- [Inbound Calls Table](#)

The report does not require any performance parameters.



**Note:** When the *Queue Length* of a call center is set to “0”, incoming calls can still be offered to agents, as long as they are available when the call is received. If an incoming call is offered to one or more agents and the call bounces for all agents, then the call center’s Overflow policy is applied. Under these conditions, the incoming call is reported under both *Calls Queued* and a *Calls Overflowed – Size*.


### 6.2.1 INBOUND CALLS TO CALL CENTER PIE CHART

The Inbound Calls To Call Center pie chart shows the count and percentage for each action that can occur for an incoming call to a call center or DNIS for the reporting period.

The actions reported are summarized in the following table.

LABEL	DESCRIPTION
Calls Queued	This is the number of calls that were placed in the queue.
Calls Overflowed – Size	This is the number of calls that were handled according to the Overflow policy based on size.
Force Forwarding Applied	This is the number of calls that were handled according to the Forced Forwarding policy.
Night Service Applied	This is the number of calls that were handled according to the Night Service policy.
Holiday Service Applied	This is the number of calls that were handled according to the Holiday Service policy.

*Figure 56* provides an example of an Inbound Calls To Call Center pie chart.



**Figure 56 Call Center Incoming Calls Report – Inbound Calls To Call Center Pie Chart**

## 6.2.2 INBOUND CALLS TABLE

The Inbound Calls table displays a column for each counter included. The Inbound Calls table includes a row per interval for each call center or DNIS that is active over the interval. It also includes the following summary rows:

- An interval summary row is provided for each interval if multiple DNISs or queues were selected. For all counters, the summary row represents the sum of the counter values for all call centers or DNISs reported in that interval.
- A call center or DNIS summary row is provided for each call center or DNIS over all intervals if multiple call centers or DNISs were selected. For all counters, the row is the sum of the counter values for the call center or DNIS reported over all intervals.
- A report summary row is provided for all intervals and all call centers or DNISs. For all counters, the summary row represents the sum of the counter values for all call centers or DNISs reported over all intervals.

The counters included are described in the following table.

COUNTER	DESCRIPTION
Calls Received	This is the number of calls received by the call center. This is the sum of “Calls Queued”, “Calls Overflowed – Size”, “Forced Forwarding Applied”, “Night Service Applied”, and “Holiday Service Applied”.
Received via Overflow	This is the number of calls received by the call center via overflow. Specifically, this is the number of calls that have triggered the Overflow policy in a call center within the company and where the Overflow policy was configured to redirect the call to this call center.
Calls Queued	This is the number of calls received by the call center and placed in the queue.
Calls Overflowed – Size	This is the number of calls received by the call center that triggered the Overflow-Size policy and were not placed into the queue.
Forced Forwarding	This is the number of calls received by the call center that triggered the

COUNTER	DESCRIPTION
Applied	Forced Forwarding policy and were not placed into the queue.
Night Service Applied	This is the number of calls received by the call center that triggered the Night Service policy and were not placed into the queue.
Holiday Service Applied	This is the number of calls received by the call center that triggered the Holiday Service policy and were not placed into the queue.

Figure 57 provides an example of an Inbound Calls table in a report for multiple call centers or DNISs.

Date and Time	Call Center Name	Calls Received	Received via Overflow	Calls Queued	Calls Overflowed - Size	Forced Forwarding Applied	Night Service Applied	Holiday Service Applied
03/31/2011, 10:00 PM	callocenter1	18	0	6	0	0	0	12
	callocenter2	22	0	22	0	0	0	0
	Summary	40	0	28	0	0	0	12
03/31/2011, 10:15 PM	callocenter1	13	0	13	0	0	0	0
	callocenter2	13	0	9	0	4	0	0
	Summary	26	0	22	0	4	0	0
03/31/2011, 10:30 PM	callocenter1	9	0	7	2	0	0	0
	callocenter2	8	0	8	0	0	0	0
	Summary	17	0	15	2	0	0	0
03/31/2011, 10:45 PM	callocenter1	11	0	10	1	0	0	0
	callocenter2	12	0	4	0	0	8	0
	Summary	23	0	14	1	0	8	0
Report Summary	callocenter1	51	0	36	3	0	0	12
	callocenter2	55	0	43	0	4	8	0
	Summary	106	0	79	3	4	8	12

Figure 57 Call Center Incoming Calls Report – Inbound Calls Table (Multiple Call Centers or DNISs)

Figure 58 provides an example of an Inbound Calls table in a report for a single call center or DNIS.

Date and Time	Call Center Name	Calls Received	Received via Overflow	Calls Queued	Calls Overflowed - Size	Forced Forwarding Applied	Night Service Applied	Holiday Service Applied
03/31/2011, 10:00 PM	callocenter1	18	0	6	0	0	0	12
03/31/2011, 10:15 PM	callocenter1	13	0	13	0	0	0	0
03/31/2011, 10:30 PM	callocenter1	9	0	7	2	0	0	0
03/31/2011, 10:45 PM	callocenter1	11	0	10	1	0	0	0
Report Summary	callocenter1	51	0	36	3	0	0	12

Figure 58 Call Center Incoming Calls Report – Inbound Calls Table (Single Call Center or DNIS)

### 6.3 CALL CENTER REPORT

The Call Center Report template is a real-time report template that can be used by administrators and supervisors to request real-time or historical reports. This is an interval-based report template.

The report provides information related to how calls are handled by call centers once they have been queued.

The report name is “Call Center Report” and is displayed in the introduction section of the generated report, as described in section [6.1 Call Center Report Introduction Section](#).

The report includes the following elements:

- Call Center Activity by Answered Calls Pie Chart
- [Skill Level Pie Chart](#)
- [Call Center Activity Bar Chart](#)
- [Call Center Activity Table](#)
- [High Water Marks Table](#)

The report requires the *Service Level* performance parameter.

Performance parameters are described in section [7.1 Performance Parameters](#).

### 6.3.1 CALL CENTER ACTIVITY BY ANSWERED CALLS PIE CHART


The Call Center Activity by Answered Calls pie chart shows the percentage and count for each action that can occur once a call has been queued to a call center or DNIS for the reporting period.

The actions reported are summarized in the following table.

<b>LABEL</b>	<b>DESCRIPTION</b>
Calls Escaped	This is the number of calls that were removed from the queue as a result of the caller dialing the escape key.
Calls Abandoned	This is the number of calls that were removed from the queue as a result of the caller hanging up.
Calls Transferred	This is the number of calls that were transferred out of the queue by supervisor action.
Calls Answered	This is the number of calls that were answered by an agent.
Calls Overflowed – Time	This is the number of calls that were removed from the queue as a result of triggering the Overflow-Time policy.
Calls Bounced – Transferred	This is the number of calls that were transferred out of the queue as a result of triggering the Bounced policy.
Calls Stranded	This is the number of calls that were removed from the queue as a result of triggering the Stranded policy.
Calls Stranded –	This is the number of calls that were removed from the queue as a

LABEL	DESCRIPTION
Unavailable	result of triggering the Stranded – Unavailable policy.

Figure 59 provides an example of a Call Center Activity by Answered Calls pie chart.



**Figure 59 Call Center Report – Call Center Activity by Answered Calls Pie Chart**

### 6.3.2 SKILL LEVEL PIE CHART

The Skill Level pie chart shows the percentage and number of calls answered by agents at a particular skill level for the reporting period. The pie chart is not shown if:

The set of call centers selected for the report contains only those that were priority-based for the duration of the reporting interval.

The set of call centers selected for the report includes call centers that were skill-based at some point in the reporting interval but no calls were answered in those call centers.

The actions reported are summarized in the following table.

LABEL	DESCRIPTION
Skill X, X = 1..20	Number of calls answered by agents at skill level "X".
No Skill	Number of calls answered by agents from priority-based call centers.

Figure 60 provides an example of a Skill Level pie chart.



**Figure 60 Call Center Report – Skill Level Pie Chart**

### 6.3.3 CALL CENTER ACTIVITY BAR CHART


The Call Center Activity bar chart shows the counts for each action that can occur once a call has been queued in a call center or DNIS for the reporting period.

The actions reported are summarized in the following table.

LABEL	DESCRIPTION
Calls Queued	This is the number of incoming calls that were queued.
Calls Escaped	This is the number of calls removed from the queue as a result of the caller dialing the escape key.
Calls Abandoned	This is the number of calls removed from the queue as a result of the caller hanging up.
Calls Presented	This is the number of calls offered to an agent, which either bounced or answered. Note that while a call is queued, it may be offered several times to an agent. This counter is incremented each time.  <b>NOTE:</b> If the Simultaneous Distribution policy is used, a call may be offered to several agents simultaneously. Such a case is counted as a single call offer, and consequently, a single bounce if none of the alerted agents answered the call.
Calls Answered	This is the number of calls that were answered by an agent.
Calls Answered in %1% secs	This is the number of calls that were answered by an agent within %1% seconds.
Calls Overflowed – Time	This is the number of calls that were removed from the queue as a result of triggering the Overflow – Time policy.
Calls Bounced	This is the number of calls that bounced and remained in the queue, which were presented to agents.  <b>NOTE:</b> If the context is the Simultaneous Distribution policy, a call may be offered to multiple agents simultaneously. Such cases are counted as a

LABEL	DESCRIPTION
	single call offer, and consequently, a single bounce if none of the alerted agents answered the call.
Calls Bounced – Transferred	This is the number of calls that were transferred out of the queue as a result of triggering the Bounced policy.  Notice that these bounced calls are not accounted under the “Calls Bounced” column.
Calls Transferred	This is the number of calls that were transferred out of the queue by supervisor action.
Calls Stranded	This is the number of calls that were removed from the queue as a result of triggering the Stranded policy.
Calls Stranded – Unavailable	This is the number of calls that were removed from the queue as a result of triggering the Stranded – Unavailable policy.

Figure 61 provides an example of a Call Center Activity bar chart.



**Figure 61 Call Center Report – Call Center Activity Bar Chart**

### 6.3.4 CALL CENTER ACTIVITY TABLE

The Call Center Activity table displays a column for each counter described in the following table.

The table includes a row per interval for each call center or DNIS that is active over the interval. It also includes the following summary rows:

- An interval summary row is provided for each interval if multiple DNISs or queues have been selected. For counters, the summary row represents the sum of the counter values for all agents reported in that interval. For percentages, the following formula is used to compute the interval summary:

$$\frac{\sum (\text{Number of calls answered in service level for all call centers or DNISs in the time interval})}{\sum (\text{Occurrences for all call centers or DNISs in the time interval})}$$

- A call center or DNIS summary row is provided for each call center or DNIS over all intervals if multiple call centers or DNISs have been selected. For counters, the summary row represents the sum of the counter values for the agent reported over all intervals. For percentages, the following formula is used to compute the call center or DNIS summary:

$$\frac{\sum (\text{Number of calls answered in service level for the call center or DNIS over all time intervals})}{\sum (\text{Occurrences for the call center or DNIS over all time intervals})}$$

- A report summary row is provided for all intervals and all call centers or DNISs. For counters, the summary row represents the sum of the counter values for all agents reported over all intervals. For percentages, the following formula is used to compute the report summary:

$$\frac{\sum (\text{Number of calls answered in service level for all call centers or DNISs})}{\sum (\text{Occurrences for all for all call centers or DNISs over all time intervals})}$$

COUNTER	DESCRIPTION
Calls Queued	This is the number of incoming calls that were queued.
Calls Escaped	This is the number of calls removed from the queue as a result of the caller dialing the escape key.
Calls Abandoned	This is the number of calls removed from the queue as a result of the caller hanging up.
Calls Presented	<p>This is the number of calls that were offered to an agent, which were either bounced, answered, or overflowed after being offered. Note that while a call is queued, it may be offered multiple times to an agent. This counter is incremented each time the call is offered to an agent.</p> <p><b>NOTE 1:</b> A call may be presented to an agent, and then the overflow timer can expire and cause the call to be overflowed without being bounced or answered.</p> <p><b>NOTE 2:</b> If the context is the Simultaneous Distribution policy, a call may be offered to multiple agents simultaneously. Such a case is counted as a single call offer, and consequently, a single call bounce if none of the alerted agents answered the offered call.</p>
Calls Answered	This is the number of calls that were answered by an agent.
Calls Answered in %1% secs	This is the number of calls that were answered by an agent within %1% seconds.
% Calls Answered in Service Level	<p>This is the percentage of “queued” calls that were answered by an agent within the service level specified in the report request.</p> <p>The determination of the type of calls that are counted as “queued” calls for this calculation depends on the input parameters to the report request. For more information regarding the types of calls included for this calculation, see section <a href="#">7.1 Performance Parameters</a>.</p>
% Answered Calls Answered in Service Level	This is the percentage of answered calls that were answered by an agent within the service level specified in the report request.
Calls Overflowed – Time	This is the number of calls that were removed from the queue as a result of triggering the Overflow – Time policy.

COUNTER	DESCRIPTION
Calls Bounced	This is the number of calls presented to agents that bounced and remained in the queue.  <b>NOTE:</b> If the context is the Simultaneous Distribution policy, a call may be offered to multiple agents simultaneously. Such a case is counted as a single call offer, and consequently, a single call bounce if none of the alerted agents answered the offered call.
Calls Bounced – Transferred	This is the number of calls that were transferred out of the queue as a result of triggering the Bounced policy.
Calls Transferred	This is the number of calls that were transferred out of the queue by supervisor action.
Calls Stranded	This is the number of calls that were removed from the queue as a result of triggering the Stranded policy.
Calls Stranded – Unavailable	This is the number of calls that were removed from the queue as a result of triggering the Stranded – Unavailable policy.

Figure 62 provides an example of a Call Center Activity table in a report for multiple call centers or DNISs.

Call Center Activity															
Date and Time	DNIS Name	Calls Queued	Calls Escaped	Calls Abandoned	Calls Presented	Calls Answered	Calls Answered In 180 secs	% Calls Answered In 180 secs	% Answered Calls Answered In 180 secs	Calls Overflowed - Time	Calls Bounced	Calls Bounced-Transferred	Calls Transferred	Calls Stranded	Calls Stranded - Unavailable
19/07/2011, 05:00 AM	South Call Center	10	0	4	9	6	6	60.0%	100.0%	0	0	0	0	0	0
	Summary	10	0	4	9	6	6	60.0%	100.0%	0	0	0	0	0	0
19/08/2011, 05:00 AM	South Call Center	4	0	1	4	3	3	75.0%	100.0%	0	0	0	0	0	0
	Summary	4	0	1	4	3	3	75.0%	100.0%	0	0	0	0	0	0
19/13/2011, 05:00 AM	South Call Center	1	0	0	1	1	1	100.0%	100.0%	0	0	0	0	0	0
	Summary	1	0	0	1	1	1	100.0%	100.0%	0	0	0	0	0	0
19/19/2011, 05:00 AM	South Call Center	2	0	0	1	0	0	0.0%	0.0%	0	0	0	0	0	2
	Summary	2	0	0	1	0	0	0.0%	0.0%	0	0	0	0	0	2
19/20/2011, 05:00 AM	South Call Center	3	0	0	0	0	0	0.0%	0.0%	0	0	0	0	3	0
	Summary	3	0	0	0	0	0	0.0%	0.0%	0	0	0	0	3	0
<b>Report Summary</b>	Customer Service	0	0	0	0	0	0	0.0%	0.0%	0	0	0	0	0	0
	Sales	0	0	0	0	0	0	0.0%	0.0%	0	0	0	0	0	0
	South Call Center	20	0	5	15	10	10	66.7%	100.0%	0	0	0	0	3	2
	Tech Support	0	0	0	0	0	0	0.0%	0.0%	0	0	0	0	0	0
	Summary	20	0	5	15	10	10	66.7%	100.0%	0	0	0	0	3	2

Figure 62 Call Center Report – Call Center Activity Table (Multiple Call Centers or DNISs)

Figure 63 provides an example of a Call Center Activity table in a report for a single call center or DNIS.

Call Center Activity															
Date and Time	Call Center Name	Calls Queued	Calls Escaped	Calls Abandoned	Calls Presented	Calls Answered	Calls Answered In 180 secs	% Calls Answered In 180 secs	% Answered Calls Answered In 180 secs	Calls Overflowed - Time	Calls Bounced	Calls Bounced-Transferred	Calls Transferred	Calls Stranded	Calls Stranded - Unavailable
10/07/2011, 05:00 AM	South Call Center	10	0	4	9	6	6	60.0%	100.0%	0	0	0	0	0	0
10/08/2011, 05:00 AM	South Call Center	4	0	1	4	3	3	75.0%	100.0%	0	0	0	0	0	0
10/13/2011, 05:00 AM	South Call Center	1	0	0	1	1	1	100.0%	100.0%	0	0	0	0	0	0
10/19/2011, 05:00 AM	South Call Center	2	0	0	1	0	0	0.0%	0.0%	0	0	0	0	0	2
10/20/2011, 05:00 AM	South Call Center	3	0	0	0	0	0	0.0%	0.0%	0	0	0	0	3	0
<b>Report Summary</b>	South Call Center	20	0	5	15	10	10	66.7%	100.0%	0	0	0	0	3	2

Figure 63 Call Center Report – Call Center Activity Table (Single Call Center or DNIS)

### 6.3.5 HIGH WATER MARKS TABLE

The High Water Marks table displays a column for each counter described in the following table.

The High Water Marks table includes a row per interval for each call center or DNIS that is active over the interval. It also includes the following summary rows:

- A summary row is provided for each interval if multiple DNISs or queues have been selected. This represents the maximum value for all call centers or DNISs in that interval.
- A summary row is provided for each call center or DNIS over all intervals if multiple call centers or DNISs have been selected. This represents the maximum value for the call center or DNIS over all intervals.
- A summary row is provided for all intervals and all call centers or DNISs. This represents the maximum value for all call centers or DNISs over all intervals.

The counters included are described in the following table.

COUNTER	DESCRIPTION
Longest Wait Time	This is the maximum amount of time a caller waited in the queue (including any preserved wait time from other queues). Depending on the Call Center Queuing policy, the waiting time may be reset to "0" when a call is transferred to another queue or it may be preserved in the new queue.
Longest Answer Time	This is the maximum amount of time a caller waited before the call was answered for this reporting period. This is the waiting time plus the ringing time before answer.
Longest Wait Abandoned	This is the maximum amount of time a caller waited (including any preserved wait time from other queues) before abandoning the call for this reporting period.

*Figure 64* provides an example of a High Water Marks table in a report for multiple call centers or DNISs.

High Water Marks				
Date and Time	Call Center Name	Longest Wait Time	Longest Answer Time	Longest Wait Abandoned
03/31/2011, 10:00 PM	calcenter1	00:00:29	00:00:37	00:00:00
	calcenter2	00:00:30	00:01:21	00:00:00
	Summary	00:00:30	00:01:21	00:00:00
03/31/2011, 10:15 PM	calcenter1	00:12:05	00:00:41	00:00:00
	calcenter2	00:01:01	00:02:07	00:00:00
	Summary	00:12:05	00:02:07	00:00:00
03/31/2011, 10:30 PM	calcenter1	00:27:05	00:00:29	00:00:00
	calcenter2	00:03:55	00:02:14	00:00:00
	Summary	00:27:05	00:02:14	00:00:00
03/31/2011, 10:45 PM	calcenter1	00:42:05	00:00:58	00:00:00
	calcenter2	00:18:55	00:00:27	00:00:00
	Summary	00:42:05	00:00:58	00:00:00
Report Summary	calcenter1	00:42:05	00:00:58	00:00:00
	calcenter2	00:18:55	00:02:14	00:00:00
	Summary	00:42:05	00:02:14	00:00:00

Figure 64 Call Center Report – High Water Marks Table (Multiple Call Centers or DNISs)

Figure 65 provides an example of a High Water Marks table in a report for a single call center or DNIS.

High Water Marks				
Date and Time	Call Center Name	Longest Wait Time	Longest Answer Time	Longest Wait Abandoned
03/31/2011, 10:00 PM	calcenter1	00:00:29	00:00:37	00:00:00
03/31/2011, 10:15 PM	calcenter1	00:12:05	00:00:41	00:00:00
03/31/2011, 10:30 PM	calcenter1	00:27:05	00:00:29	00:00:00
03/31/2011, 10:45 PM	calcenter1	00:42:05	00:00:58	00:00:00
Report Summary	calcenter1	00:42:05	00:00:58	00:00:00

Figure 65 Call Center Report – High Water Marks Table (Single Call Center or DNIS)

## 6.4 CALL CENTER PRESENTED CALLS REPORT

The Call Center Presented Calls report template is a real-time report template that can be used by administrators and supervisors to request real-time or historical reports. This is an interval-based report template.

The report provides information on how calls are handled by call centers once they have been queued.

The report name is “Call Center Presented Calls Report” and is displayed in the introduction section of the generated report, as described in section [6.1 Call Center Report Introduction Section](#).

The report contains the same information as the Call Center Report (see section [6.3 Call Center Report](#)), with the exception of the pie chart that includes bounced calls. The report includes the following element: [Call Center Activity by Presented Calls Pie Chart](#).

The report requires the *Service Level* performance parameter. Performance parameters are described in section [7.1 Performance Parameters](#).


#### 6.4.1 CALL CENTER ACTIVITY BY PRESENTED CALLS PIE CHART

The Call Center Activity by Presented Calls pie chart shows the percentage and count for each action that can occur once a call has been queued for the reporting period. The percentage is also based on the sum of calls queued and calls presented to agents.

The actions reported are summarized in the following table.

LABEL	DESCRIPTION
Calls Escaped	This is the number of calls that were removed from the queue as a result of the caller dialing the escape key.
Calls Abandoned	This is the number of calls that were removed from the queue as a result of the caller hanging up.
Calls Transferred	This is the number of calls that were transferred out of the queue by supervisor action.
Calls Answered	This is the number of calls that were answered by an agent.
Calls Overflowed – Time	This is the number of calls that were removed from the queue as the result of triggering the Overflow – Time policy.
Calls Bounced – Transferred	This is the number of calls that were transferred out of the queue as a result of triggering the Bounced policy.
Calls Stranded	This is the number of calls that were removed from the queue as a result of triggering the Stranded policy.
Calls Stranded – Unavailable	This is the number of calls that were removed from the queue as a result of triggering the Stranded – Unavailable policy.
Calls Bounced	This is the number of calls that bounced. A bounced call is a call that was presented to an agent but for some reason the call was not answered by the agent and remained in the queue.  <b>NOTE:</b> If the context is the Simultaneous Distribution policy, a call may be offered to multiple agents simultaneously. Such a case is counted as a single call offer, and consequently, a single call bounce if none of the alerted agents answered the call.

*Figure 66* provides an example of a Call Center Activity by Presented Calls pie chart.



**Figure 66 Call Center Presented Calls – Call Center Activity by Presented Calls Pie Chart**

## 6.5 ABANDONED CALL REPORT

The Abandoned Call Report template is a real-time report template that can be used by administrators and supervisors to request real-time and historical reports. This is an interval-based report template.

The report provides information related to calls that are abandoned by callers. The report name is “Abandoned Call Report” and is displayed in the introduction section of the generated report, as described in section [6.1 Call Center Report Introduction Section](#).

The report includes the following elements:

- [Abandoned Calls Bar Chart](#)
- [Abandoned Calls Table](#)

The report requires the following performance parameters:

- Abandoned Calls
- Service Level

Performance parameters are described in section [7.1 Performance Parameters](#).

### 6.5.1 ABANDONED CALLS BAR CHART

The Abandoned Calls bar chart shows the number of calls queued and the number of calls abandoned for the various thresholds provided in the report request for the reporting period.

The values reported are summarized in the following table.

LABEL	DESCRIPTION
Calls Queued	This is the number of incoming calls that were queued.
Calls Abandoned	This is the number of calls that were removed from the queue as a result of the caller hanging up.
Calls Abandoned in %1% secs	This is the number of calls that were abandoned within %1% seconds.
Calls Abandoned in %2% secs	The number of calls that were abandoned within %2% seconds.
Calls Abandoned in %3% secs	This is the number of calls that were abandoned within %3% seconds.
Calls Abandoned in %4% secs	This is the number of calls that were abandoned within %4% seconds.
Calls Abandoned before Entrance Message Completes	This is the number of calls that were abandoned before the entrance message finished playing.
Calls Answered	This is the number of calls that were answered by an agent.
Calls Answered in %5% secs	This is the number of calls that were answered by an agent within %5% seconds, that is, within the service level specified in the report request.

Figure 67 provides an example of an Abandoned Calls bar chart.




Figure 67 Abandoned Call Report – Abandoned Calls Bar Chart

### 6.5.2 ABANDONED CALLS TABLE

The Abandoned Calls table displays a column for each counter described in the following table. The Inbound Calls table includes a row per interval for each call center or DNIS that is active over the interval. It also includes the following summary rows:

- An interval summary row is provided for each interval if multiple DNISs or queues have been selected.
  - For counters, the summary row represents the sum of the counter values for all agents reported in that interval.
  - For percentages, the following formula is used to compute the interval summary:  

$$\frac{\sum (\text{Number of calls abandoned within threshold for all call centers or DNISs in the time interval})}{\sum (\text{Occurrences for all call centers or DNISs in the time interval})}$$
  
- A call center or DNIS summary row is provided for each call center or DNIS over all intervals if multiple call centers or DNISs have been selected.
  - For counters, the summary row represents the sum of the counter values for the agent reported over all intervals.
  - For percentages, the following formula is used to compute the call center or DNIS summary:  

$$\frac{\sum (\text{Number of calls abandoned within threshold for the call center or DNIS over all time intervals})}{\sum (\text{Occurrences for the call center or DNIS over all time intervals})}$$
  
- A report summary row is provided for all intervals and all call centers or DNISs.
  - For counters, the summary row represents the sum of the counter values for all agents reported over all intervals.
  - For percentages, the following formula is used to compute the report summary:  

$$\frac{\sum (\text{Number of calls abandoned within threshold for all call centers or DNISs over all time intervals})}{\sum (\text{Occurrences for all for all call centers or DNISs over all time intervals})}$$

COUNTER	DESCRIPTION
Calls Queued	This is the number of incoming calls that were queued.
Calls Abandoned	This is the number of calls that were removed from the queue as a result of the caller hanging up.
%Calls Abandoned	This is the percentage of queued calls that were abandoned.
Calls Abandoned in %1% secs	This is the number of calls that were abandoned within %1% seconds.
%Calls Abandoned in %1% secs	This is the percentage of queued calls that were abandoned within %1% seconds.
Calls Abandoned in %2% secs	This is the number of calls that were abandoned within %2% seconds.
%Calls Abandoned in %2% secs	This is the percentage of queued calls that were abandoned within %2% seconds.
Calls Abandoned in %3% secs	This is the number of calls that were abandoned within %3% seconds.
%Calls Abandoned in %3% secs	This is the percentage of queued calls that were abandoned within %3% seconds.
Calls Abandoned in %4% secs	This is the number of calls that were abandoned within %4% seconds.

COUNTER	DESCRIPTION
%Calls Abandoned in %4% secs	This is the percentage of queued calls that were abandoned within %4% seconds.
Calls Abandoned before Entrance Message Completes	This is the number of calls that were abandoned before the entrance message finished playing.
% Calls Abandoned before Entrance Message Completes	This is the percentage of queued calls that were abandoned before the entrance message finished playing.
Calls Abandoned after Entrance Message Completes	This is the number of calls that were abandoned after the entrance message finished playing.  This is the difference between “Calls Abandoned” and “Calls Abandoned before Entrance Message Completes”. Abandoned calls that are not played the entrance message (that is, the entrance message is not configured to be played, or the incoming call is immediately offered to an agent and the entrance message is not played) are included under this heading.
%Calls Abandoned after Entrance Message Completes	This is the percentage of queued calls that were abandoned after the entrance message finished playing.
Longest Wait Abandoned	This is the maximum amount of time a caller waited (including any preserved wait time from other queues) before abandoning the call for this reporting period.

Figure 68 provides an example of an Abandoned Calls table in a report for multiple call centers or DNISs.

Abandoned Calls											
Date and Time	Call Center Name	Calls Queued	Calls Abandoned	% Calls Abandoned	Calls Abandoned in 10 secs	% Calls Abandoned in 10 secs	Calls Abandoned before Entrance Message Completes	% Calls Abandoned before Entrance Message Completes	Calls Abandoned after Entrance Message Completes	% Calls Abandoned after Entrance Message Completes	Longest Wait Abandoned
03/31/2011, 10:00 PM	calcenter1	6	1	16.7%	1	16.7%	1	16.7%	0	0.0%	00:00:06
	calcenter2	22	3	13.6%	3	13.6%	3	13.6%	0	0.0%	00:00:05
	Summary	28	4	14.3%	4	14.3%	4	13.6%	0	0.0%	00:00:06
03/31/2011, 10:15 PM	calcenter1	13	1	7.7%	1	7.7%	1	7.7%	0	0.0%	00:00:03
	calcenter2	9	0	0.0%	0	0.0%	0	0.0%	0	0.0%	00:00:00
	Summary	22	1	4.5%	1	4.5%	1	0.0%	0	0.0%	00:00:03
03/31/2011, 10:30 PM	calcenter1	7	0	0.0%	0	0.0%	0	0.0%	0	0.0%	00:00:00
	calcenter2	8	1	12.5%	0	0.0%	1	12.5%	0	0.0%	00:00:04
	Summary	15	1	6.7%	0	0.0%	1	12.5%	0	0.0%	00:00:04
03/31/2011, 10:45 PM	calcenter1	10	0	0.0%	0	0.0%	0	0.0%	0	0.0%	00:00:00
	calcenter2	4	0	0.0%	0	0.0%	0	0.0%	0	0.0%	00:00:00
	Summary	14	0	0.0%	0	0.0%	0	0.0%	0	0.0%	00:00:00
Report Summary	calcenter1	36	2	5.6%	2	5.6%	2	5.6%	0	0.0%	00:00:06
	calcenter2	43	4	9.3%	3	7.0%	4	9.3%	0	0.0%	00:00:05
	Summary	79	6	7.6%	5	6.3%	6	7.6%	0	0.0%	00:00:06

Figure 68 Abandoned Call Report – Abandoned Calls Table (Multiple Call Centers or DNISs)

Figure 69 provides an example of an Abandoned Calls table in a report for a single call center or DNIS.

Abandoned Calls											
Date and Time	Call Center Name	Calls Queued	Calls Abandoned	% Calls Abandoned	Calls Abandoned In 10 secs	% Calls Abandoned In 10 secs	Calls Abandoned before Entrance Message Completes	% Calls Abandoned before Entrance Message Completes	Calls Abandoned after Entrance Message Completes	% Calls Abandoned after Entrance Message Completes	Longest Wait Abandoned
03/31/2011, 10:00 PM	calcenter1	6	1	16.7%	1	16.7%	1	16.7%	0	0.0%	00:00:06
03/31/2011, 10:15 PM	calcenter1	13	1	7.7%	1	7.7%	1	7.7%	0	0.0%	00:00:03
03/31/2011, 10:30 PM	calcenter1	7	0	0.0%	0	0.0%	0	0.0%	0	0.0%	00:00:00
03/31/2011, 10:45 PM	calcenter1	10	0	0.0%	0	0.0%	0	0.0%	0	0.0%	00:00:00
Report Summary	calcenter1	36	2	5.6%	2	5.6%	2	5.6%	0	0.0%	00:00:06

Figure 69 Abandoned Call Report – Abandoned Calls Table (Single Call Center or DNIS)

## 6.6 CALL CENTER SUMMARY REPORT

The Call Center Summary Report template is a historical report template that can be used by administrators and supervisors to request historical reports. This is an interval-based report template.

The report provides summary information related to call center or DNIS performance, including average statistics for wait time, speed of answer, abandonment time, and staffed time.

The report name is “Call Center Summary Report” and is displayed in the introduction section of the generated report, as described in section [6.1 Call Center Report Introduction Section](#).

The report includes the following elements:

- [Call Center Summary Line Chart](#)
- [Call Center Summary Table](#)

The report does not require any performance parameters.

### 6.6.1 CALL CENTER SUMMARY LINE CHART

The Call Center Summary line chart shows specific averages related to a call center or DNIS for the reporting period.


The averages reported are summarized in the following table.

LABEL	DESCRIPTION
Average Wait Time	This is the total wait time for the calls answered during the interval divided by the number of calls answered during the interval.
Average Speed of Answer	This is the total wait time plus the total ring time for the calls answered during the interval divided by the number of calls answered during the interval.
Average Abandonment Time	This is the total abandonment time for the calls abandoned during the interval divided by the number of calls abandoned during the interval.

LABEL	DESCRIPTION
Average Staff	This is the total staff time divided by the report interval period.

Figure 70 provides an example of a Call Center Summary line chart.

When a report contains a large number of multiple data points, the values listed on the x-axis are presented vertically. In addition, although all values are plotted in the line chart, values on the Date/Time axis (that is, the x-axis) are skipped to maintain readability.



**Figure 70 Call Center Summary Report – Call Center Summary Line Chart**

### 6.6.2 CALL CENTER SUMMARY TABLE

The Call Center Summary table displays a column for each counter described in the following table. The Inbound Calls table includes a row per interval for each call center or DNIS that is active over the interval. It also includes the following summary rows:

- An interval summary row is provided for each interval if multiple DNISs or queues have been selected. The following formula is used to compute the interval summary:  

$$\frac{\sum (\text{Time for all call centers or DNISs for the interval})}{\sum (\text{Occurrences for all call centers or DNISs for the time interval})}$$
- A call center or DNIS summary row is provided for each call center or DNIS over all intervals if multiple call centers or DNISs have been selected. The following formula is used to compute the call center or DNIS summary:  

$$\frac{\sum (\text{Time for the call center or DNIS over all intervals})}{\sum (\text{Occurrences for the call center or DNIS over all time intervals})}$$
- A report summary row is provided for all intervals and all call centers or DNISs. The following formula is used to compute the report summary:  

$$\frac{\sum (\text{Time for all call centers or DNISs over all intervals})}{\sum (\text{Occurrences for all call centers or DNISs over all time intervals})}$$

COUNTER	DESCRIPTION
Average Wait Time	This is the total wait time for the calls answered during the interval divided by the number of calls answered during the interval.
Average Speed of	This is the total wait time plus the total ring time for the calls

COUNTER	DESCRIPTION
Answer	answered during the interval divided by the number of calls answered during the interval.
Average Abandonment Time	This is the total abandonment time for the calls abandoned during the interval divided by the number of calls abandoned during the interval.
Average Staff	This is the average number of agents staffing the call center(s) during the reporting period interval. This is the total staff time divided by the interval period.

Figure 71 provides an example of a Call Center Summary table in a report for multiple call centers or DNISs.

Date and Time	Call Center Name	Average Wait Time	Average Speed of Answer	Average Abandonment Time	Average Staff
03/31/2011, 10:00 PM	callocenter1	00:00:00	00:00:06	00:00:00	1.42
	callocenter2	00:00:06	00:00:14	00:00:11	1.42
	Summary	00:00:04	00:00:12	00:00:09	2.84
03/31/2011, 10:15 PM	callocenter1	00:00:16	00:00:20	00:00:00	2.00
	callocenter2	00:00:30	00:00:35	00:00:00	2.00
	Summary	00:00:24	00:00:29	00:00:00	4.00
03/31/2011, 10:30 PM	callocenter1	00:00:09	00:00:19	00:00:00	1.99
	callocenter2	00:00:26	00:00:35	00:00:12	1.99
	Summary	00:00:20	00:00:30	00:00:12	3.97
03/31/2011, 10:45 PM	callocenter1	00:00:14	00:00:23	00:00:00	1.75
	callocenter2	00:00:09	00:00:14	00:00:00	1.75
	Summary	00:00:12	00:00:20	00:00:00	3.50
<b>Report Summary</b>	callocenter1	00:00:12	00:00:19	00:00:00	1.79
	callocenter2	00:00:16	00:00:23	00:00:12	1.79
	Summary	00:00:14	00:00:22	00:00:08	3.58

Figure 71 Call Center Summary Report – Call Center Summary Table (Multiple Call Centers or DNISs)

Figure 72 provides an example of a Call Center Summary table in a report for a single call center or DNIS.

Date and Time	Call Center Name	Average Wait Time	Average Speed of Answer	Average Abandonment Time	Average Staff
03/31/2011, 10:00 PM	callocenter1	00:00:00	00:00:06	00:00:00	1.42
03/31/2011, 10:15 PM	callocenter1	00:00:16	00:00:20	00:00:00	2.00
03/31/2011, 10:30 PM	callocenter1	00:00:09	00:00:19	00:00:00	1.99
03/31/2011, 10:45 PM	callocenter1	00:00:14	00:00:23	00:00:00	1.75
<b>Report Summary</b>	callocenter1	00:00:12	00:00:19	00:00:00	1.79

Figure 72 Call Center Summary Report – Call Center Summary Table (Single Call Center or DNIS)

## 6.7 SERVICE LEVEL REPORT

The Service Level Report template is a historical report template that can be used by administrators and supervisors to request historical reports. This is an interval-based report template.

The report provides information related to how incoming calls are handled in relation to service levels provided as input parameters.

The report name is “Service Level Report” and is displayed in the introduction section of the generated report, as described in section [6.1 Call Center Report Introduction Section](#).

The report includes the following elements:

- [Service Level Deviation Line Chart](#)
- [Service Level Average Bar Chart](#)
- [Service Level Table](#)

The report requires the following performance parameters:

- Service Level
- Service Level Objective

Performance parameters are described in section [7.1 Performance Parameters](#).


### 6.7.1 SERVICE LEVEL DEVIATION LINE CHART

The Service Level Deviation line chart shows the number of calls to a call center or DNIS that were answered within the provided service levels for the reporting period.

Each label represents one of the service levels provided in the request.

If the *Service Level Objective* parameter is not provided in the request, then it is not shown on the chart. In addition, when a report contains a large number of data points, the values listed on the x-axis are presented vertically. Moreover, although all values are plotted on the line chart, values on the Date/Time axis (that is, the x-axis) are skipped to maintain readability.

*Figure 73* provides an example of a Service Level Deviation line chart.




**Figure 73 Service Level Report – Service Level Deviation Line Chart**

### 6.7.2 SERVICE LEVEL AVERAGE BAR CHART

The Service Level Average bar chart shows the percentage of calls to a call center or DNIS that were answered within the provided service levels for the reporting period.

Each label represents one of the service levels provided in the request.

Figure 74 provides an example of a Service Level Average bar chart.



**Figure 74 Service Level Report – Service Level Average Bar Chart**

### 6.7.3 SERVICE LEVEL TABLE

The Service Level table displays a column for each value described in the following table.

The Service Level table includes a row per interval for each call center or DNIS that is active over the interval. It also includes the following summary rows:

- An interval summary row is provided for each interval if multiple DNISs or queues have been selected. The following formula is used to compute the averages or percentages of the interval summary:  

$$\frac{\sum (\text{Time/number of calls for all call centers or DNISs for the interval})}{\sum (\text{Occurrences for all call centers or DNISs for the time interval})}$$
- A call center or DNIS summary row is provided for each call center or DNIS over all intervals if multiple call centers or DNISs have been selected. The following formula

is used to compute the averages or percentages of the call centers or DNIS summary:

$$\sum (\text{Time/number of calls for the call center or DNIS over all intervals}) / \sum (\text{Occurrences for the call center or DNIS over all time intervals})$$

- A report summary row is provided for all intervals and all call centers or DNISs. The following formula is used to compute the averages or percentages of the report summary:

$$\sum (\text{Time/number of calls for all call centers or DNISs over all intervals}) / \sum (\text{Occurrences for all call centers or DNISs over all time intervals})$$

COUNTER	DESCRIPTION
Average Wait Time	This is the total wait time divided by the number of calls answered.
Average Speed of Answer	This is the total wait time plus the total ring time, divided by the number of calls answered.
Calls Answered within %1% secs	This is the number of calls answered within %1% seconds.
% Within %1% secs	This is the percentage of queued calls answered within %1% seconds.  The determination of the type of calls that are counted as “queued” calls for this calculation depends on the input parameters to the report request. For more information regarding the types of calls included for this calculation, see section <a href="#">7.1 Performance Parameters</a> .
Calls Answered within %2% secs	This is the number of calls answered within %2% seconds.
% Within %2% secs	This is the percentage of queued calls answered within %2% seconds.  The determination of the type of calls that are counted as “queued” calls for this calculation depends on the input parameters to the report request. For more information regarding the types of calls included for this calculation, see section <a href="#">7.1 Performance Parameters</a> .
Calls Answered within %3% secs	This is the number of calls answered within %3% seconds.
% Within %3% secs	This is the percentage of queued calls answered within %3% seconds.  The determination of the type of calls that are counted as “queued” calls for this calculation depends on the input parameters to the report request. For more information regarding the types of calls included for this calculation, see section <a href="#">7.1 Performance Parameters</a> .
Calls Answered within %4% secs	This is the number of calls answered within %4% seconds.
% Within %4% secs	This is the percentage of queued calls answered within %4% seconds.

COUNTER	DESCRIPTION
	The determination of the type of calls that are counted as “queued” calls for this calculation depends on the input parameters to the report request. For more information regarding the types of calls included for this calculation, see section <a href="#">7.1 Performance Parameters</a> .
Calls Answered within %5% secs	This is the number of calls answered within %5% seconds.
% Within %5% secs	This is the percentage of queued calls answered within %5% seconds.  The determination of the type of calls that are counted as “queued” calls for this calculation depends on the input parameters to the report request. For more information regarding the types of calls included for this calculation, see section <a href="#">7.1 Performance Parameters</a> .

Figure 75 provides an example of a Service Level table in a report for multiple call centers or DNISs.

Service Level													
Date and Time	Call Center Name	Average Wait Time	Average Speed of Answer	Calls Answered within 5 secs	% Within 5 secs	Calls Answered within 10 secs	% Within 10 secs	Calls Answered within 15 secs	% Within 15 secs	Calls Answered within 20 secs	% Within 20 secs	Calls Answered within 35 secs	% Within 35 secs
03/31/2011, 10:00 PM	callcenter1	00:00:00	00:00:06	1	20.0%	2	40.0%	2	40.0%	2	40.0%	2	40.0%
	callcenter2	00:00:08	00:00:14	0	0.0%	3	15.0%	4	20.0%	4	20.0%	6	30.0%
	Summary	00:00:04	00:00:12	1	4.0%	5	20.0%	6	24.0%	6	24.0%	8	32.0%
03/31/2011, 10:15 PM	callcenter1	00:00:16	00:00:20	1	8.3%	1	8.3%	2	16.7%	2	16.7%	2	16.7%
	callcenter2	00:00:30	00:00:35	2	25.0%	2	25.0%	2	25.0%	2	25.0%	2	25.0%
	Summary	00:00:24	00:00:29	3	15.0%	3	15.0%	4	20.0%	4	20.0%	4	20.0%
03/31/2011, 10:30 PM	callcenter1	00:00:09	00:00:19	0	0.0%	1	16.7%	1	16.7%	1	16.7%	2	33.3%
	callcenter2	00:00:26	00:00:35	0	0.0%	0	0.0%	1	11.1%	1	11.1%	3	33.3%
	Summary	00:00:20	00:00:30	0	0.0%	1	6.7%	2	13.3%	2	13.3%	5	33.3%
03/31/2011, 10:45 PM	callcenter1	00:00:14	00:00:23	2	20.0%	3	30.0%	4	40.0%	5	50.0%	5	50.0%
	callcenter2	00:00:09	00:00:14	1	25.0%	2	50.0%	2	50.0%	3	75.0%	4	100.0%
	Summary	00:00:12	00:00:20	3	21.4%	5	35.7%	6	42.9%	8	57.1%	9	64.3%
Report Summary	callcenter1	00:00:12	00:00:19	4	12.1%	7	21.2%	9	27.3%	10	30.3%	11	33.3%
	callcenter2	00:00:16	00:00:23	3	7.3%	7	17.1%	9	22.0%	10	24.4%	15	36.6%
	Summary	00:00:14	00:00:22	7	9.0%	14	19.9%	18	24.3%	20	27.0%	26	35.1%

Figure 75 Service Level Report – Service Level Table (Multiple Call Centers or DNISs)

Figure 76 provides an example of a Service Level table in a report for a single call center or DNIS.

Service Level													
Date and Time	Call Center Name	Average Wait Time	Average Speed of Answer	Calls Answered within 5 secs	% Within 5 secs	Calls Answered within 10 secs	% Within 10 secs	Calls Answered within 15 secs	% Within 15 secs	Calls Answered within 20 secs	% Within 20 secs	Calls Answered within 35 secs	% Within 35 secs
03/31/2011, 10:00 PM	callcenter1	00:00:00	00:00:06	1	20.0%	2	40.0%	2	40.0%	2	40.0%	2	40.0%
03/31/2011, 10:15 PM	callcenter1	00:00:16	00:00:20	1	8.3%	1	8.3%	2	16.7%	2	16.7%	2	16.7%
03/31/2011, 10:30 PM	callcenter1	00:00:09	00:00:19	0	0.0%	1	16.7%	1	16.7%	1	16.7%	2	33.3%
03/31/2011, 10:45 PM	callcenter1	00:00:14	00:00:23	2	20.0%	3	30.0%	4	40.0%	5	50.0%	5	50.0%
Report Summary	callcenter1	00:00:12	00:00:19	4	12.1%	7	21.2%	9	27.3%	10	30.3%	11	33.3%

Figure 76 Service Level Report – Service Level Table (Single Call Center or DNIS)

## 6.8 CALL CENTER CALL DETAIL REPORT

The Call Center Call Detail Report template is a historical report template that can be used by administrators and supervisors to request historical reports.

This is a non-interval-based template.

The report provides information related to calls received by the call center or DNIS.

The report name is “Call Center Call Detail Report” and is displayed in the introduction section of the generated report, as described in section [6.1 Call Center Report Introduction Section](#).

The report includes the [Call Detail Table](#).

The report does not require any performance parameters.

### 6.8.1 CALL DETAIL TABLE

The Call Detail table shows the details for each call received by the call center or DNIS for the reporting period.

Only completed calls are shown in this report. A call is completed when the following conditions are met:

- The incoming call to the call center or DNIS is abandoned, transferred, or has a policy applied to it such that the call is no longer present in the queue.  
-or-
- The incoming call to the call center or DNIS is offered to and answered by an agent, and:
  - The agent releases or transfers the call and the call completion timer expires (the purpose of the call completion timer is to allow the agent to make a transition to the *Wrap-Up* state following the end of an ACD call).  
-or-
  - The agent makes a transition out of *Wrap-Up* state following the end of an ACD call.

Note that the agent may re-enter the *Wrap-Up* state following the completion of a call and the agent may enter additional disposition codes. In such a case, reports run at various times may provide different details for a given call, and more specifically, the wrap-up time of the call and the disposition codes entered for that call.

COUNTER	DESCRIPTION
Call Center Name	This is the name of the call center. It is only present if the report request is for multiple call centers.
DNIS Name	This is the name of the DNIS. It is only present if the report request is for multiple DNISs.
DNIS Number	This is the number of the DNIS. It is only present if the report request is for multiple DNISs.
Call Start Time	This is the time that the call entered the queue or was processed by a policy prior to being queued.

COUNTER	DESCRIPTION
Call Answer Time	This is the time that the call was answered by the agent. This field is only populated if the <i>Call Result</i> column is set to "Answered".
Call End Time	This is the time that the call ended with the agent, the time that the call was removed from the queue for non-answered calls, or the time that the call was processed by a policy prior to being queued.  In a scenario in which an agent answered the call, this corresponds to the time that the call was released by the agent or remote party, or the time that the call was transferred by the agent.
Agent Name	This is the name of the agent (last name, first name).
Agent Number/Extension	This is the phone number/extension of the agent.
Caller's Number	This is the number of the calling party.
Policy Applied	This indicates whether a policy was applied to the call prior to the call being queued. The possible values for this column are Night Service, Holiday Service, Forced Forwarding, and Overflow – Size.
Call Result	This indicates the result of the call once it has been queued.  The possible values are Escaped, Abandoned, Answered, Overflow – Time, Stranded, Stranded-Unavailable, Transferred, and Bounced Transferred.
Wait Time	This is the call's wait time in the queue. (It is empty if forwarded by Night Service, Holiday Service, Forced Forwarding, or Overflow policy). The wait time includes any preserved wait time if the call was in other queues.
Transfer Number	This captures the transfer destination if a supervisor transferred the call out of the queue.
Number of Bounces	This indicates the number of times that a call bounced.
Bounced Transfer Number	This captures the transfer destination if the call was transferred out of the queue according to the Bounced Calls policy.
Talk Time	This is the time an agent spends talking on a call. This does not include the time the caller is on hold. Note that this is only the talk time for an agent servicing this queue and does not include talk time as a result of transfer.
Hold Time	This is the total time the call was put on hold by the answering agent. Note that this is only the hold time for an agent servicing this queue and does not include hold time if this call was answered by other agents.
Wrap Up Time	This is the time spent, in seconds, in <i>Wrap-Up</i> state, by the agent who answered the call. If there is no wrap-up time associated with the call, then the value is set to "0".
Agent Transfer Number	This captures the transfer destination if the agent transferred the call after answering it.

**COUNTER DESCRIPTION**

**Disposition Codes** This captures the list of disposition codes that were applied to the call or in the subsequent wrap-up period by the answering agent.

In a scenario in which a default disposition code is configured for a call center, the default code is listed in the report as long as the agent does not explicitly enter a code during the call or during a subsequent wrap-up period.

For example, if the agent does not enter a code during a call or in the subsequent wrap-up period, then the default code appears in the report for the entry corresponding to the call. The agent may decide to return to the *wrap-up* state and enter one or more disposition codes. If the report is generated again, the entered disposition code(s) replaces the default code for the entry corresponding to the call.

Figure 77 provides an example of a Call Detail table.

Call Detail															
Call Center Name	Call Start Time	Call Answer Time	Call End Time	Callers Number	Policy Applied	Call Result	Wait Time	Transfer Number	Number of Bounces	Bounced Transfer Number	Talk Time	Hold Time	Wrap Up Time	Agent Transfer Number	Disposition Code
Callcenter2	03/01/2011, 10:08:24 PM		03/01/2011, 10:08:24 PM	\$14884000		Overflow - Time	00:00:30		0						
Callcenter1	03/01/2011, 10:08:24 PM		03/01/2011, 10:08:24 PM	\$14884000	Holiday Service	Answered	00:00:00		0						
Callcenter2	03/01/2011, 10:08:43 PM	03/01/2011, 10:08:43 PM	03/01/2011, 10:08:19 PM	\$14884000		Answered	00:00:10		0		00:02:24	00:00:00	00:00:00		
Callcenter2	03/01/2011, 10:08:52 PM		03/01/2011, 10:08:42 PM	\$14884000		Answered	00:00:10		0						
Callcenter2	03/01/2011, 10:08:41 PM	03/01/2011, 10:08:54 PM	03/01/2011, 10:08:03 PM	\$14884000		Answered	00:00:00		0		00:00:58	00:00:00	00:00:28		
Callcenter1	03/01/2011, 10:08:02 PM		03/01/2011, 10:08:02 PM	\$14884000	Holiday Service	Answered	00:00:14		0						
Callcenter2	03/01/2011, 10:08:02 PM	03/01/2011, 10:08:02 PM	03/01/2011, 10:08:03 PM	\$14884000		Answered	00:00:14		2		00:00:11	00:01:00	00:00:00	\$14884000	
Callcenter1	03/01/2011, 10:10:43 PM	03/01/2011, 10:10:52 PM	03/01/2011, 10:11:08 PM	\$14884000		Answered	00:00:18		0		00:00:45	00:00:00	00:00:03		
Callcenter1	03/01/2011, 10:10:58 PM		03/01/2011, 10:11:01 PM	\$14884000		Transferred	00:00:03	\$14884000							
Callcenter1	03/01/2011, 10:11:02 PM		03/01/2011, 10:10:48 PM	\$14884000		Answered	00:00:00		0		00:01:17	00:00:00	00:00:00		
Callcenter2	03/01/2011, 10:12:20 PM		03/01/2011, 10:12:31 PM	\$14884000		Answered	00:00:02		0						
Callcenter1	03/01/2011, 10:12:34 PM		03/01/2011, 10:12:38 PM	\$14884000		Answered	00:00:01		0						
Callcenter2	03/01/2011, 10:12:36 PM		03/01/2011, 10:12:41 PM	\$14884000		Answered	00:00:02		0						
Callcenter2	03/01/2011, 10:12:43 PM		03/01/2011, 10:13:13 PM	\$14884000		Overflow - Time	00:00:30		0						
Callcenter1	03/01/2011, 10:13:13 PM		03/01/2011, 10:13:43 PM	\$14884000		Overflow - Time	00:00:50		0						
Callcenter2	03/01/2011, 10:13:43 PM		03/01/2011, 10:13:43 PM	\$14884000		Overflow - Time	00:01:00		0						
Callcenter1	03/01/2011, 10:13:43 PM		03/01/2011, 10:13:43 PM	\$14884000		Overflow - Time	00:01:00		0						
Callcenter2	03/01/2011, 10:13:43 PM	03/01/2011, 10:14:08 PM	03/01/2011, 10:14:08 PM	\$14884000		Answered	00:01:17		1		00:01:55	00:00:00	00:00:00		
Callcenter2	03/01/2011, 10:14:18 PM		03/01/2011, 10:14:45 PM	\$14884000		Overflow - Time	00:00:30		2						
Callcenter1	03/01/2011, 10:14:47 PM	03/01/2011, 10:14:52 PM	03/01/2011, 10:15:27 PM	\$14884000		Answered	00:00:30		0		00:01:22	00:00:12	00:00:00		
Callcenter1	03/01/2011, 10:16:48 PM	03/01/2011, 10:17:28 PM	03/01/2011, 10:17:03 PM	\$14884000		Answered	00:00:36		2		00:00:25	00:00:00	00:00:00		
Callcenter1	03/01/2011, 10:18:54 PM		03/01/2011, 10:17:54 PM	\$14884000		Overflow - Time	00:01:00		0						
Callcenter2	03/01/2011, 10:17:54 PM		03/01/2011, 10:17:54 PM	\$14884000		Overflow - Time	00:01:00		0						
Callcenter1	03/01/2011, 10:17:54 PM		03/01/2011, 10:17:54 PM	\$14884000		Overflow - Time	00:01:00		0						
Callcenter2	03/01/2011, 10:17:54 PM	03/01/2011, 10:18:03 PM	03/01/2011, 10:20:03 PM	\$14884000		Answered	00:01:50		0		00:01:00	00:00:00	00:00:02		
Callcenter1	03/01/2011, 10:18:54 PM		03/01/2011, 10:19:07 PM	\$14884000		Transferred	00:00:15	\$14884000	0						

Figure 77 Call Center Call Detail Report – Call Detail Table (Multiple Call Centers or DNISs)

## 6.9 CALL CENTER DISPOSITION CODE REPORT

The Call Center Disposition Code Report template is a historical report template that can be used by administrators and supervisors to request historical reports.

This is an interval-based report template.

The report provides information related to disposition codes used by agents for a given call center or DNIS.

The report name is “Call Center Disposition Code Report” and is displayed in the introduction section of the generated report, as described in section [6.1 Call Center Report Introduction Section](#).

The report includes the following elements:

- [Disposition Codes Pie Chart](#)
- [Disposition Codes Table](#)

The report does not require any performance parameters.

Note that disposition codes entered by agents in the context of a route point call are not reported.

### 6.9.1 DISPOSITION CODES PIE CHART


The Disposition Codes pie chart shows the number of times that a particular disposition code is used for the reporting period.

Each label represents one of the top 10 codes used.

- For a single call center or DNIS report, these are the top 10 codes used by the agent.
- For a multiple call center or DNIS report, these are the top 10 codes used by all agents.

In addition, the *Other* label is displayed (when applicable) and represents the sum of all other codes.

Figure 78 provides an example of a Disposition Codes pie chart.



**Figure 78 Call Center Disposition Code Report – Disposition Codes Pie Chart**

### 6.9.2 DISPOSITION CODES TABLE

The Disposition Codes table includes a row per interval for each call center or DNIS that is active over the interval. It also includes the following summary rows:

- An interval summary row is provided for each interval if multiple call centers or DNISs have been selected. For all columns, the summary row represents the sum of the counter values for all call centers or DNISs reported in that interval.

- An agent summary row is provided for each agent over all intervals if multiple call centers or DNISs have been selected. For all columns, the summary row of an agent represents the sum of the counter values over all intervals for that call center or DNIS.
- A report summary row is provided for all intervals and all call centers or DNISs. For all columns, the report summary row represents the sum of the counter values over all intervals for all call centers or DNISs reported.

Each column represents one of the top 10 codes used.

- For a single call center or DNIS report, these are the top 10 codes used on calls for the call center or DNIS.
- For a multiple call center or DNIS report, these are the top 10 codes used on calls for all call centers or DNISs.

In addition, the *Other* column, which represents the sum of all other codes, is displayed. The columns are first ordered by the size of the report summary row, that is, the values in the last row of the table, and then when the values are the same, by the code name. The *Other* column, when applicable, is displayed to the far right.

Figure 79 provides an example of a Disposition Codes table in a report for multiple call centers or DNISs.

Disposition Codes				
Date and Time	Call Center Name	Promo3	Promo1	Promo2
03/31/2011, 10:15 PM	callcenter1	1	3	0
	callcenter2	2	0	1
	Summary	3	3	1
03/31/2011, 10:30 PM	callcenter1	1	0	1
	callcenter2	4	1	0
	Summary	5	1	1
03/31/2011, 10:45 PM	callcenter1	1	1	1
	callcenter2	3	1	2
	Summary	4	2	3
Report Summary	callcenter1	3	4	2
	callcenter2	9	2	3
	Summary	12	6	5

**Figure 79 Call Center Disposition Code Report – Disposition Codes Table (Multiple Call Centers or DNISs)**

Figure 80 provides an example of a Disposition Codes table in a report for a single call center or DNIS.

Disposition Codes				
Date and Time	Call Center Name	Promo1	Promo3	Promo2
03/31/2011, 10:15 PM	calcenter1	3	1	0
03/31/2011, 10:30 PM	calcenter1	0	1	1
03/31/2011, 10:45 PM	calcenter1	1	1	1
Report Summary	calcenter1	4	3	2

**Figure 80 Call Center Disposition Code Report – Disposition Codes Table (Single Call Center or DNIS)**

## 6.10 CALL CENTER OVERFLOW MATRIX REPORT

The Call Center Overflow Matrix Report template is a historical report template that can be used by administrators and supervisors to request historical reports. This is an interval-based report template.

The report provides information related to calls that overflow from one call center or DNIS to another within the same company, in relation to the Overflow policy (size or time).

The report name is “Call Center Overflow Matrix Report” and is displayed in the introduction section of the generated report, as described in section [6.1 Call Center Report Introduction Section](#).

The report includes the [Overflow Matrix](#) element.

The report does not require any performance parameters.

### 6.10.1 OVERFLOW MATRIX

The Overflow Matrix provides a summary of the number of calls that overflow from one call center of a company to another call center within the same company.

*Figure 81* provides an example of an Overflow Matrix for a report for multiple call centers.

Overflow Matrix: Interval 04/14/2011, 01:30 PM					
Destination	Source			Total	
	calcenter1	calcenter2	calcenter3		
calcenter1	0	0	2	2	
calcenter2	3	0	0	3	
calcenter3	0	0	0	0	
Total	3	0	2		

**Figure 81 Call Center Overflow Matrix Report – Overflow Matrix**

## 7 GLOSSARY AND DEFINITIONS

This section explains different terms used in reports or when requesting a report.

### 7.1 PERFORMANCE PARAMETERS

The following table lists the performance parameters you may be required to provide when scheduling or running a report.

Note that the parameter names may differ depending on the interface you use to request the report.

PARAMETER	DESCRIPTION
Call Completion	This setting is used to count the number of ACD calls an agent has completed within a service level during the specified interval. The Call Completion service level can be set to "1" through "7200" seconds.
Short Duration	This setting is used to count the number of ACD short duration calls completed by an agent during an interval. You can set the maximum length of a short duration call to "1" through "7200" seconds.
Service Level	<p>This setting allows you to provide up to five service levels, used to perform service-level calculations for each call center or DNIS per interval service-level threshold. Each service-level threshold can be set to "1" through "7200" seconds.</p> <p>Service levels are usually a function of the number of answered calls:</p> <ul style="list-style-type: none"> <li>• A call is said to be within the service level if it is answered within the provided threshold value in seconds.</li> <li>• The % in service level is usually calculated as the number of calls answered within the provided threshold value divided by the number of answered calls.</li> </ul> <p>Other types of calls may (optionally) be included for the calculation of the % in service-level value:</p> <ul style="list-style-type: none"> <li>• Transfers due to time overflow (calls removed from the queue according to the Overflow-Time policy)</li> <li>• Other transfers (calls removed from the queue according to the Bounced or Stranded Calls policy due to a supervisor transfer or a caller escape)</li> <li>• Abandoned calls – Choice between: <ul style="list-style-type: none"> <li>- Ignore all abandoned calls</li> <li>- Include all abandoned calls</li> <li>- Include calls abandoned after the entrance message has finished playing</li> </ul> </li> </ul>

PARAMETER	DESCRIPTION
	<ul style="list-style-type: none"> <li>- Include calls abandoned after the specified time interval: 1 through 7200 seconds</li> </ul> <p>For example, if transfers due to time overflow are included, then the formula to obtain the % in service level is as follows:</p> <p>% in service level = (Number of calls answered within the provided threshold) divided by (Number of calls answered + number of calls transferred due to time overflow)</p>
Service Level Objective	This provides an indicator for the service-level objective, expressed as a percentage value.
Abandoned Call	This parameter is used to count the number of calls abandoned within a specified time. Up to four thresholds can be specified, resulting in up to four different counts. Each threshold can be set to "1" through "7200" seconds.

## 7.2 CALL TYPES

This section defines different types of calls measured in call center statistics.

NAME	DESCRIPTION
ACD Call	This is an inbound call received by an agent from an ACD queue.
Outbound ACD Call	This is an outbound call initiated by an agent using the call center or DNIS number.
Route Point Call	This is a call received by an agent from a route point.
Outbound Route Point Call	This is a call initiated by an agent using the identity of a route point.
Inbound Call	This is a non-ACD or route point call outside the company received by the agent.
Outbound Call	This is a non-ACD or route point call outside the company made by the agent.
Internal Call	This is a non-ACD or route point call within the company made or received by the agent.
Held Call	This is an ACD call that was placed on hold by an agent. Each time an agent places a call on hold, it is counted as a held call.
Transferred Call	This is an ACD call that was transferred to a new destination.
Answered Call	This is an ACD call that was answered by an agent.
Abandoned Call	This is an ACD call that entered the queue, but the caller hung up before the call was answered or transferred.
Escaped Call	This is an ACD call that entered the queue but was removed from the

NAME	DESCRIPTION
	queue because the caller dialed the escape key.
Received Call	This is an ACD call that was received in the queue. The call can be queued, presented to an agent, or diverted using the Night Service, Holiday Service, Forced Forwarding, or Overflow Size policy.
Overflowed Call	This is an ACD call that was received, but immediately transferred to another destination due to exceeding the configured maximum queue size or the configured maximum wait time.
Queued Call	This is an ACD call that is not immediately diverted using the Night Service, Holiday Service, Forced Forwarding, or Overflow Size policy, and goes to the queue to be distributed to an agent or to wait for an available agent.
Presented Call	This is an ACD call that is routed from a call center to an agent (rings the agent or attempts to ring the agent).
Bounced Call	This is an ACD call that was offered to an agent but remained in the queue because it was not answered by the agent in the specified time.
Stranded Call	This is an ACD call that is in the queue after all agents assigned to the queue have moved to the <i>Sign-Out</i> ACD state.
Short Duration Call	An ACD call is a short duration call if the call time (that is, talk time + hold time) is less than the value of the <i>Short Duration</i> performance parameter specified in the report request.
Long Hold Bounced Call	This is an ACD call (received by an agent) that was transferred back to the queue after being held too long.
Escalated Call	This is an ACD call that an agent escalated to a supervisor using a non-emergency escalation procedure.
Emergency Call	This is an ACD call that an agent escalated to a supervisor using an emergency escalation procedure.

## 7.3 OTHER TERMS USED IN STATISTICS MEASUREMENTS

This section defines various terms used in call center statistics measurements.

NAME	DESCRIPTION
Wait Time	<p>This is the time spent by the caller in a call center queue, including preserved wait time from other queues. The value corresponds to the wait time recorded from the moment the call was presented to the agent.</p> <p>Depending on the Call Center Queuing policy, the waiting time may be reset to "0" when a call is transferred to another queue or it may be preserved in the new queue.</p> <p>For a call that is answered by the agent, the wait time never includes the ringing time.</p> <ul style="list-style-type: none"> <li>If the call was previously offered to an agent and then bounced, the</li> </ul>

NAME	DESCRIPTION
	<p>ringing time associated with the bounced call is accounted for as wait time, and is included regardless whether the call is answered, abandoned, or transferred out of the queue by a supervisor or by a policy.</p> <ul style="list-style-type: none"> <li>If a call is offered to an agent and is abandoned or transferred out of the queue by a supervisor or by a policy, then the ringing time is accounted for as wait time, and is included.</li> </ul> <p>The time during which the whisper message (if enabled) is playing is accounted for as ring time, and is not included.</p> <p>Abandoned calls and transferred calls are not included.</p>
Ring Time	<p>This is the ringing time for a call that is actually answered by an agent. If the call was previously offered to an agent and then bounced, the ringing time associated with the bounced call is accounted for as wait time, and is not included. The time during which the whisper message (if enabled) is playing is accounted for as ring time, and is included.</p>
Speed of Answer	<p>This is the amount of time a caller waits before being answered.</p> <p>Speed of Answer = Wait Time + Ring Time</p>
Service Level	<p>This is the time limit, in seconds, during which an ACD call should be answered.</p> <p>A call is completed within the service level if the call time (that is, talk time + hold time) is less than the value of the <i>Service Level</i> performance parameter specified when requesting a report.</p>
Agents Staffed	<p>This is the number of agents that are in the ACD states of <i>Sign-In</i>, <i>Available</i>, <i>Unavailable</i>, and <i>Wrap-Up</i>.</p> <p>Agents that are only “Joined” to a call center and cannot set their ACD state are not counted as <i>Agents Staffed</i>.</p>
Staffed Time	<p>This is the amount of time an agent spent in an ACD state other than <i>Sign-Out</i>.</p> <p>Staffed Time = Sign-In + Available + Unavailable + Wrap-Up Time</p>
Talk Time	<p>This is the amount of time the agent spent on an ACD call, excluding the hold time. Note that this is only the talk time by the answering agent and does not include talk time as a result of transfer.</p>
Hold Time	<p>This is the amount of time that the agent has put the caller on hold. Note that this is only the hold time for an agent answering the call and does not include hold time if this call was answered by other agents.</p>
Wrap-up Time	<p>This is the time that the agent spent in the <i>Wrap-Up</i> state, in association with an ACD call.</p>
Handle Time	<p>This is the amount of time spent on a particular ACD call.</p> <p>Handle Time = Talk Time + Hold Time + Wrap-Up Time</p>
Idle time	<p>This is the amount of time an agent spent in the <i>Available</i> state and not on ACD calls.</p>

## 7.4 AGENT ACD STATES

The following table defines the ACD states an agent can be in.

STATE	DESCRIPTION
Sign-In	The <i>Sign-In</i> state is equivalent to a “clock in” meaning that the agent is at their work location, but not yet ready to accept incoming calls. Calls are not delivered to the agent in this state.
Sign-Out	The <i>Sign-Out</i> state is equivalent to a “clock out”, meaning that the agent’s workday or shift is done and they are leaving. Calls are not delivered to the agent in this state.
Available	The <i>Available</i> state is the primary ACD state of an agent during the workday. It indicates that the agent is at their workstation and is either available to take a call or on an active call. Calls MAY be delivered to an agent who is in <i>Available</i> state.
Unavailable	The <i>Unavailable</i> state is used when the agent is away from their workstation and is not available to take calls. Calls are not delivered to agents in <i>Unavailable</i> state.
Wrap-Up	The <i>Wrap-Up</i> state is designed to allow an agent to complete paperwork or other post-call procedures associated with the last call. By default, calls are not routed to agents in <i>Wrap-Up</i> state, except when the call center is configured to enable calls to agents in <i>Wrap-Up</i> state.

## 8 INDEX

### A

Abandoned Calls report .....	68
ACD states .....	89
Additional resources.....	3
Agent ACD states.....	89
Agent Activity Detail report.....	31
Agent Activity report.....	25
Agent Call by Skill report.....	12
Agent Call Detail report .....	22
Agent Call report .....	9
Agent Disposition Code report .....	48
Agent Duration by Skill report .....	17
Agent Duration report.....	15
Agent report	
Introduction section .....	7
Agent report templates .....	7
Agent Sign In Sign Out report .....	51
Agent Summary report .....	33
Agent Unavailability report .....	43

### C

Call Center Call Detail report .....	78
Call Center Disposition Code report .....	81
Call Center Incoming Calls report .....	55
Call Center Overflow Matrix report.....	84
Call Center Presented Calls report .....	66
Call Center report.....	58
Introduction section .....	53
Call Center report templates .....	53
Call Center Summary report .....	72
Calls types.....	86
Canned report template .....	4

### D

Definitions	
Agent ACD states.....	89
Call types.....	86
Performance parameters .....	85
Statistics measurements .....	87

### E

Enhanced Reporting .....	4
--------------------------	---

### L

Layout, of canned report.....	5
-------------------------------	---

### P

Performance parameters .....	85
------------------------------	----

### R

Report	
Abandoned Calls.....	68
Agent.....	7
Agent Activity .....	25
Agent Activity Detail .....	31
Agent Call .....	9
Agent Call by Skill .....	12
Agent Call Detail .....	22
Agent Disposition Code .....	48
Agent Duration .....	15
Agent Duration by Skill.....	17
Agent Sign In Sign Out .....	51
Agent Summary .....	33
Agent Unavailability .....	43
Call Center .....	58
Call Center Call Detail.....	78
Call Center Disposition Code.....	81
Call Center Incoming Calls .....	55
Call Center Overflow Matrix .....	84
Call Center Presented Calls .....	66
Call Center Summary.....	72
Introduction section	
Agent .....	7
Call Center.....	53
Service Level .....	75
Report layout.....	5
Report template, canned .....	4
Report templates	
Call Center .....	53
Report types.....	4

Resources .....3

**S**

Service Level report .....75

Statistics measurements, definitions.....87

**T**

Template, canned report..... 4

Types, reports ..... 4



Clearspan®