# AT&T Hosted Voice Service (HVS) RAYBAUM COMPLIANCE

Part 5: Creating ERL's within OpEasy™

December 2021



#### AT&T HVS 911 Update – Ray Baum Act Compliance Training Webinars



Training Videos, Webinars, & Presentation Downloads Available at www.clearspancloud.com/att-admin-training

OpEasy™ v21.x Documentation Available at www.clearspancloud.com/admin\_opeasy\_training





### AT&T HVS 911 Update – Ray Baum Act Compliance Training

- Part 1: Overview of Ray Baum Act and Kari's Law Requirements
- Part 2: Clearspan Compliance Recommendation
- Party 3: Dispatchable Locations and Emergency Response Locations
- Part 4: Importing ERLs from Existing Intrado ERS Account to OpEasy
- Part 5: OpEasy™ creating Intrado ERLs
- Part 6: OpEasy™ assigning ERLs to Non-HELD capable SIP wired endpoints
- Part 7: OpEasy™ and HELD enabled SIP Wired Endpoints
- Part 8: Soft Clients on Computers (Nomadic Devices) Intrado Location Manager
- Part 9: Soft Clients on Mobile Devices
- Part 10: Emergency Services for MS Teams





Part 5:

### OpEasy™ creating Intrado ERLs







#### Clearspan Product Information

OpEasy Version 21.1.502 Installed 10/13/21 -. IFT in progress- please report any issues.



Skip Nav About Logout Change Password Release History Provisioning Reporting Admin Tools Do Not Sell My Personal Information

#### Logged In

911 Services

Administrative Tools

Login Management

<u>Monitoring</u>

Provisioning

Reporting

#### **OpEasy**

Choose an OpEasy application.

#### 911 Services

Display and manage 911 Services.

#### Administrative Tools

Perform system-level management functions, including default privilege management, licensing, and system settings.

#### Login Management

Display, add, and change OpEasy administrator names and passwords.

#### Monitoring

Display and configure system monitoring information.

#### **Provisioning**


Provision Clearspan Users and Phone Devices, both individually and from spreadsheets

#### Reporting

Schedule or immediately run reports. In addition, display Call Detail Reporting (CDR) records and configure the CDR Manager.















- Build the Emergency Response Location 1st
- Then assign ERLs to devices












| opeasi                    | OpEasy Version                                   | Clearspan Product Information 21.1.502 Installed 10/13/21 IFT in progress- please report any issues. | Clearspan <sup>®</sup> chambersSA (System Administrator) |
|---------------------------|--|--|--|
| Skip Nav Main Menu About  | Help Logout Provisioning Repo                    | rting Admin Tools Do Not Sell My Personal Information  |  |
| Emergency Routing Service |  |  |  |
| Accounts<br>Assignment    | ERL Record Add  Add a new ERL record to the ERS. |  |  |
| ERL Management            | OK Cancel  |  |  |
|                           | ERS Account:                                     | Clearspan-911-Test   |  |
|                           | ERL Identification                               | Provide a name for the   |  |
|                           | * ERL Name:                                      | ERL that is intuitive to the admin   |  |
|                           | Civic Address                                    | <del></del>  |  |
|                           | * House #:                                       |  |  |
|                           | * Street/Road:                                   |  |  |
|                           | * City:  |  |  |
|                           | * State:   | (Select State) 🔻   |  |
|                           | * Zip Code:                                      |  |  |
|                           | * Country:                                       | Provided with 911 call   |  |
|                           | Location:  |  |  |
|                           | Description:                                     |  |  |
|                           |  |  | ption of the location is intuitive to the admin,         |
|                           | Routing Options                                  | this   | s will NOT be provided with the 911 call                 |
|                           | Delivery Method:                                 | ● PSAP   | 't was 't had a DID for DOAD walls and a                 |
|                           | Custom Callback:                                 | only use this for extension only devices/subscribers,  | it provides a DID for PSAP callbacks                     |
|                           | Notification Email:                              | (Com   | ma-separated list of email addresses)                    |
|                           |  |  |  |

























# OpEasy Provisioning - Emergency Routing Service (ERS)












Leave this cell blank for imports

This will be automatically generated by the Intrado ERS; Leave this cell blank for imports; Use the ERL ID for Modify and Delete commands


















#### Proceed to Part 6:

# OpEasy™ assigning ERLs to Non-HELD capable SIP wired endpoints



### AT&T Hosted Voice Service (HVS)

RAY BAUM COMPLIANCE

# THANK YOU

