# Clearspan

Part 5: Creating ERL's within OpEasy™

January 2022



### Clearspan – Ray Baum Act Compliance Training Webinars

Training Videos, Webinars, & Presentation Downloads Available at www.clearspancloud.com

OpEasy™ v21.x Documentation Available at www.clearspancloud.com/admin\_opeasy\_training



### Clearspan – Ray Baum Act Compliance Training

- Part 1: Overview of Ray Baum Act and Kari's Law Requirements
- Part 2: Clearspan Compliance Recommendation
- Party 3: Dispatchable Locations and Emergency Response Locations
- Part 4: Importing ERLs from Existing Intrado ERS Account to OpEasy
- Part 5: OpEasy™ creating Intrado ERLs
- Part 6: OpEasy™ assigning ERLs to Non-HELD capable SIP wired endpoints
- Part 7: OpEasy™ and HELD enabled SIP Wired Endpoints
- Part 8: Soft Clients on Computers (Nomadic Devices) Intrado Location Manager
- Part 9: Soft Clients on Mobile Devices
- Part 10: Emergency Services for MS Teams



Part 5:

### OpEasy™ creating Intrado ERLs





#### Clearspan Product Information

OpEasy Version 21.1.502 Installed 10/13/21 -. IFT in progress- please report any issues.



About Logout Change Password Release History Provisioning Reporting Admin Tools Do Not Sell My Personal Information

#### Logged In

911 Services

Administrative Tools

Login Management

Monitoring

Provisioning

Reporting

#### **OpEasy**

Choose an OpEasy application.

#### 911 Services

Display and manage 911 Services.

#### Administrative Tools

Perform system-level management functions, including default privilege management, licensing, and system settings.

#### **Login Management**

Display, add, and change OpEasy administrator names and passwords.

#### Monitoring

Display and configure system monitoring information.


#### **Provisioning**

Provision Clearspan Users and Phone Devices, both individually and from spreadsheets.

#### Reporting

Schedule or immediately run reports. In addition, display Call Detail Reporting (CDR) records and configure the CDR Manager.











- Build the Emergency Response Location 1<sup>st</sup>
- Then assign ERLs to devices



















Clearspan Product Information








# OpEasy Provisioning - Emergency Routing Service (ERS)









Leave this cell blank for imports

This will be automatically generated by the Intrado ERS; Leave this cell blank for imports; Use the ERL ID for Modify and Delete commands









#### Proceed to Part 6:

# OpEasy™ assigning ERLs to Non-HELD capable SIP wired endpoints



# Clearspan RAYBAUM COMPLIANCE

# THANK YOU

